HISTORY FACILITY PROFILE

PROVIDER #: 465068

ROCKY MOUNTAIN CARE BOUNTIFUL 350 SOUTH 400 EAST BOUNTIFUL UT 84010 PROVIDER #: 465068 FACILITY BEDS
PHONE NUMBER: (801) 397-4700
PARTICIPATION DATE: 12/06/1977 CERTIFIED: 102
TYPE ACTION: RECERTIFICATION
TOTAL: 102
TYPE OWNERSHIP: NONPROFIT - CORPORATION

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON 09/23/		/SUSPENSION DATES	TOTAL CERTIFIED BEDS: 102		
TOTAL: 82 MEDICARE: 6 MEDICAID: 51 OTHER: 25	ADMISSION SUSI	PENDED:	18 1	18/19 19 ICF/MR 102	
CURRENT SURVEY REVISIT DATES - NONE					
SURVEY CODE SURVEY CO	S PRIOR 1 S/S CURRENT S/S DE SURVEY CODE SURVEY CODE 11/2001 09/23/2002		PROGRAM REQUIRE	EMENTS	
X D X D X D X E X E X E X D X E X E X E X E X E	X E	REQ F02 REQ F02 REQ F03 REQ F03 REQ F03 REQ F03 REQ F03	54-CLEAN LINENS I 81-SERVICES PROVI 26-RESIDENT RECEI 27-FACILITY PROVI 33-RESIDENTS FREE 64-FOOD PROPERLY 71-STORE/PREPARE/	SERVICES/CHARGES/LEGAL RGTS/ETC IN GOOD CONDITION IDED MEET PROFESSIONAL STANDARDS IVES THERAPEUTIC DIET WHEN REQUIRED IDES SUFFICIENT FLUID INTAKE E FROM SIGNIFICANT MED ERRORS PREPARED, PALATABLE, ETC. /DISTRIB FOOD UNDER SANITARY CONDS IDES PHARMACEUTICAL SERVICES SYSTEM	
06/1999 07/2000 11/2001 X X X	CURRENT PLAN/DATE SURVEY OF CORRECTION	K0021-DOORS K0027-DOORS K0029-HAZARD K0038-EXIT A		PARTITIONS DNS	
X X X X X X X X X X X X X X X X X X X	X P 09/24/2002 X N X N	K0062-SPRINK K0066-SMOKIN K0070-SPACE K0072-FURNIS	RILLS LARM SYSTEM TIC SPRINKLER SYS LER SYSTEM MAINTE G REGULATIONS	ENANCE	
TYPE OF DEFICIENCY CONDITION REQUIREMENT HEALTH TOTAL LIFE SAFETY CODE LIFE SAFETY CODE + HEALTH	CURRENT SURVEY 0 0 0 5 5	PRIOR 1 PRIOR SURVEY SURVEY	SURVEY		

COMPLAINT SURVEY INFORMATION

STATE'S REGION CODE: 001

SURVEY DATE	STATUS
02/14/2000	UNSUBSTANTIATE
01/30/2001	UNSUBSTANTIATE
10/11/2001	UNSUBSTANTIATE
09/23/2002	UNSUBSTANTIATE

FMS SURVEY INFORMATION

* NO FMS SURVEYS FOR THIS FACILITY

C=DATE OF CORRECTION N=NO DATE GIVEN COP = CONDITION REQ = REQUIREMENT P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT